Acocks, J.P.H., | 1966. | Non-selective grazing as a means of veld reclamation, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 1, p. 33-39. | [VELD]

Acocks, J.P.H., | 1988. | Veld types of South Africa, third edition, Memoir No. 57, Botanical Survey of South Africa, Botanical Research Institute, Department of Agriculture and Water Supply, Pretoria, 146 p. and maps. [This publication is reissued at intervals]. | [VELD]

Aitken, R.D., | 1922. | The effect of slope exposure upon the climate and vegetation of a hill near Maritzburg: a preliminary investigation, <u>South African Journal of Science</u>, VOL 19, p. 207-217. | [VELD]

Aitken, R.D., | 1922. | The plant succession in a type of Midland tree veld in Natal, <u>South African Journal of</u> <u>Science</u>, VOL 18(3/4), p. 233-243. | [VELD]

Allanson, B.R., | 1978. | Terrestrial ecology in South Africa: a reply, <u>South African Journal of Science</u>, VOL 74(5), p. 161-164. | [VELD]

Anonymous, | 1977. | <u>Proceedings of the Second National Weeds Conference of South Africa: 2-4 February</u> <u>1977, Stellenbosch</u>, A.A. Balkema, Cape Town, 344 p. [This publication discusses a number of issues, including plant invaders, weeds and the use of herbicides/pesticides, for example atrazine]. | [VELD]

Anonymous, | 1984. | Oorbeweiding en die eeu se droogte, Ekos, VOL 3(1), p. 4-6. | [VELD]

Anonymous, | 1985. | Die Nasionale Weidingstrategie, Department of Agriculture and Water Supply, Pretoria, 11 p. | [VELD]

Anonymous, | 1985. | The National Grazing Strategy, Department of Agriculture and Water Supply, Pretoria, 11 p. | [VELD]

Anonymous, | 1990. | Harvester termites play important role, <u>Agricultural News</u>, No. 22, 4 June 1990, p. 6-7. | [VELD]

Anonymous, | 1991. | International Conference: Meeting Rangeland Challenges in Southern Africa in the 1990s, Programme handbook and abstracts, Grassland Society of Southern Africa, 6-10 May 1991, CSIR, Pretoria, various pages. [This publication lists abstracts of papers and poster papers on a <u>wide</u> variety of topics related to [VELD]. Some abstracts on [FIRE] are also included. This publication should be carefully examined]. | [VELD]

Anonymous, | 1991. | Reclamation trial on Estcourt land, <u>Natal Agricultural News</u>, No. 6/1991, [August 1991], p. 12-13. | [VELD]

Aspinall, J.E., | 1988. | Determining methods of re-establishing eroded, bare and hard areas with vegetation in the Tarkastad Magisterial District, 1982-1987, Project Report No. D.5711/38/3/1, Soil and Irrigation Research Institute, Department of Agriculture and Water Supply, Pretoria. | [VELD]

Aucamp, A.J., | 1987. | Pastoral resources, <u>South African Journal of Science</u>, VOL 83(5), p. 325. [Abstract]. | [VELD]

Aucamp, A.J., Danckwerts, J.E., Teague, W.R. and Venter, J.J., | 1983. | The role of <u>Acacia karroo</u> in the False Thornveld of the eastern Cape, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 18, p. 151-154. | [VELD]

Aucamp, A.J., Danckwerts, J.E. and Tainton, N.M., | 1992. | Range monitoring in South Africa: a broad perspective, Journal of the Grassland Society of Southern Africa, VOL 9(1), p. 8-10. | [VELD]

Aucamp, A.J., Howe, L.G. and Grunow, J.O., | 1982. | Die doeltreffende benutting van die Valleibosveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 17, p. 41-45. | [VELD]

Aucamp, A.J. and Barnard, H.H., | 1980. | Die ontplooiing van die veekundepotensiaal van die droë grasbosgemeenskappe in die oos-Kaap, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 137-140. | [VELD]

Ault, D.E. and Rutman, G.L., | 1988. | The 'tragedy of the commons' and livestock farming in southern Africa: a comment, <u>South African Journal of Economics</u>, VOL 56(2/3), p. 212-217. | [VELD]

Baber, R.A.A. and Nieuwoudt, W.L., | 1992. | Economic incentives in the subsistence areas of South Africa and the need for reform, <u>Development Southern Africa</u>, VOL 9(2), p. 153-168. | [VELD]

Barnes, D.L., | 1972. | Defoliation effects on perennial grasses - continuing confusion, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 7, p. 138-145. | [VELD]

Barnes, D.L., | 1990. | A survey of grazed and ungrazed grassland in the south-eastern Transvaal Highveld, 1. Palatability composition and grazing capacity, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(4), p. 217-222. | [VELD]

Barnes, D.L., | 1990. | A survey of grazed and ungrazed grassland in the south-eastern Transvaal Highveld, 2. Potential floristic composition and patterns of degradation, <u>Journal of the Grassland Society of Southern</u> <u>Africa</u>, VOL 7(4), p. 223-231. | [VELD]

Barnes, D.L., Rethman, N.F.G., Beukes, B.H. and Kotze, G.D., | 1984. | Veld composition in relation to grazing capacity, Journal of the Grassland Society of Southern Africa, VOL 1(1), p. 16-19. | [VELD]

Baxter, B.J.M., Van Staden, J. and Granger, J.E., | 1993. | Seed germination response to temperature, in two altitudinally separate populations of the perennial grass <u>Themeda triandra</u>, <u>South African Journal of Science</u>, VOL 89(3), p. 141-144. | [VELD]

Beard, J.S., | 1956. | Results of the Mountain Home rainfall interception and infiltration project in Black Wattle, 1953/54, Journal of the South African Forestry Association, No. 27, April 1956, p. 72-85. | [VELD]

Beard, J.S., | 1962. | Rainfall interception by grass, <u>South African Forestry Journal</u>, No. 42, July-September 1962, p. 12-15. | [VELD]

Behnke, R.H., | 1992. | New directions in African range management policy, Pastoral Development Network Paper No. 32c, Pastoral Development Network, Overseas Development Institute, London, 15 p. | [VELD]

Bembridge, T.J., | 1979. | Problems of livestock production in the Black states of southern Africa and future strategy, <u>South African Journal of Animal Science</u>, VOL 9(2), p. 163-176. | [VELD]

Bembridge, T.J., | 1986. | Veld management: a challenge to agricultural extension, <u>Journal of the Grassland</u> <u>Society of Southern Africa</u>, VOL 3(4), p. 159-163. | [VELD]

Bews, J.W., | 1917-1918. | The plant succession in the Thorn Veld, <u>Report of the Fifteenth Annual Meeting</u> of the South African Association for the Advancement of Science, VOL 14, p. 153-172. [This journal was the forerunner of the <u>South African Journal of Science</u>]. | [VELD]

Bews, J.W., | 1918. | <u>The Grasses and Grasslands of South Africa</u>, P. Davis and Sons Ltd, Pietermaritzburg, 161 p. | [VELD]

Boonzaier, E., | 1987. | From communal grazing to 'economic' units: changing access to land in a Namaqualand reserve, <u>Development Southern Africa</u>, VOL 4(3), p. 479-491. | [VELD]

Boonzaier, E.A., Hoffman, M.T., Archer, F.M. and Smith, A.B., | 1990. | Communal land use and the 'tragedy of the commons': some problems and development perspectives with specific reference to semi-arid regions of southern Africa, Journal of the Grassland Society of Southern Africa, VOL 7(2), p. 77-80. | [VELD]

Booysen, P. de V., | 1967. | Grazing and grazing management terminology in southern Africa, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 2, p. 45-57. | [VELD]

Booysen, P. de V., | 1969. | An analysis of the fundamentals of grazing management systems, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 4, p. 84-91. | [VELD]

Booysen, P. de V., | 1980. | The importance of the ecological view of agriculture, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 15, p. 7-11. | [VELD]

Booysen, P. de V., Klug, J.R. and York, B.S., | 1974. | Number of camps for rotational grazing of veld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 9, p. 145-148. | [VELD]

Booysen, P. de V., Tainton, N.M. and Foran, B.D., | 1975. | An economic solution to the grazing management dilemma, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 10, p. 77-83. | [VELD]

Booysen, P. de V. and Tainton, N.M., | 1978. | Grassland management: principles and practice in South Africa, Proceedings of the First International Rangeland Congress, Society for Range Management, 14-18 August 1978, Denver, USA, p. 551-554. | [VELD]

Bosch, O.J.H., | 1988. | Vegetation deterioration in southern Africa: a research and researcher problem, Journal of the Grassland Society of Southern Africa, VOL 5(1), p. 3-4. | [VELD]

Bosch, O.J.H. and Gauch, H.G., | 1991. | The use of degradation gradients for the assessment and ecological interpretation of range condition, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 8(4), p. 138-146. | [VELD]

Bothma, J. du P. (ed), | 1989. | <u>Game Ranch Management: A Practical Guide on All Aspects of Purchasing</u>, <u>Planning, Development, Management and Utilization of a Modern Game Ranch in Southern Africa</u>, J.L. van Schaik, Pretoria, 672 p. [The book contains material on a wide variety of topics, including the vegetation, veld types, and game ranching regions of South Africa. Also discussed is carrying capacity, veld management, water utilization and diseases of game. An updated and revised edition of the book was published in 1996]. | [VELD]

Bransby, D.I. and Tainton, N.M., | 1977. | The disc pasture meter: possible applications in grazing management, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 12, p. 115-118. | [VELD]

Bransby, D.I. and Tainton, N.M., | 1979. | A proposed method for determining long term optimum utilization intensities of pastures and veld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 14, p. 49-52. | [VELD]

Brueckner, A.E., | 1945. | Transpiration studies of some Natal Midlands Thornveld trees, <u>South African</u> Journal of Science, VOL 41, p. 186-193. | [VELD] Brynard, A.M., | 1974. | Die mens en sy omgewing met spesiale verwysing na die mens se direkte of indirekte invloed op die natuurlike omgewing en die bodem, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 9, p. 13-18. | [VELD]

Buchan, A.J., | 1989. | Changing patterns in pastoral land-use on the Makatini Flats and Pongolo Floodplain, In: Walmsley, R.D. and Roberts, C.P.R. (eds), Changing Patterns of Resource Use on the Pongolo River Floodplain, Proceedings of a Symposium, Ecosystem Programmes Occasional Report Series No. 36, Foundation for Research Development, CSIR, Pretoria, p. 53-60. | [VELD]

Buchan, A.J.C., | 1988. | Grazing resources of the Makatini Flats and Pongolo Floodplain: production, use and significance in the local socio-economy, INR Investigational Report No. 32, Institute of Natural Resources, University of Natal, Pietermaritzburg, 28 p. + app. | [VELD]

Camp, K.G., | 1990. | The National Grazing Strategy: the Natal regional extension programme, <u>Bulletin of the Grassland Society of Southern Africa</u>, VOL 1(1), p. 4-8. | [VELD]

Camp, K.G.T., | 1991. | The National Grazing Strategy - the Natal regional extension programme (revised edition), Cedara Report No. N/A/91/23, Department of Agricultural Development (Natal Region), Cedara, 4 p. | [VELD]

Chippindall, L.K.A. and Crook, A.O., | 1976. | <u>240 Grasses of Southern Africa</u>, VOL 1-3, various pages, M.O. Collins, Salisbury, Rhodesia. | [VELD]

Cleghorne, W.S.H., | 1933. | Bare patches and soil erosion, <u>Farming in South Africa</u>, VOL 8(84), p. 123. | [VELD]

Coetsee, G., | 1975. | Grazing of <u>Cymbopogon-Themeda</u> veld in the dormant period, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 10, p. 147-150. | [VELD]

Cole, M.M., | 1963. | Vegetation nomenclature and classification with particular reference to the Savannas, <u>South African Geographical Journal</u>, VOL 45, p. 3-14. | [VELD]

Cole, M.M., | 1967. | Biogeography in an African setting, In: Davies, R.J., Preston-Whyte, R.A. and Young, B.S. (eds), Jubilee Conference Proceedings, Durban, July 1967, South African Geographical Society, Johannesburg, p. 369-393. | [VELD]

Cole, M.M., | 1986. | <u>The Savannas - Biogeography and Geobotany</u>, Academic Press, Orlando, USA, 438 p. [This book covers the Savannas of Zambia, South Africa and Namibia]. | [VELD]

Colvin, I., | 1984. | Survey of potential conservation areas in Natal, 1: the Mistbelt of the Ngongoni Veld - Veld Type 45, Natal Parks Board, Pietermaritzburg, 26 p. | [VELD]

Colvin, I., | 1985. | Survey of potential conservation areas in Natal, 2: Natal Sour Sandveld - Veld Type 66, Natal Parks Board, Pietermaritzburg, 9 p. | [VELD]

Colvin, I.S., | 1984. | Survey of conservation-worthy areas in Natal: procedure and methodology, Natal Parks Board, Pietermaritzburg, 18 p. | [VELD]

Cox, G.W., Lovegrove, B.G. and Siegfried, W.R., | 1987. | The small stone content of Mima-like mounds in the South African Cape region: implications for mound origin, <u>Catena</u>, VOL 14(3), p. 165-176. | [VELD]

Craig, G.C., | 1977. | A method of measuring heavy metal tolerance in grasses, <u>Transactions of the Rhodesia</u> <u>Scientific Association</u>, VOL 58(2), p. 9-16. | [VELD] Danckwerts, J.E., | 1981. | A technique to assess the grazing capacity of sweetveld with particular reference to the False Thornveld areas of the Ciskei, M.Sc. (Agric) Thesis, Department of Pasture Science, University of Natal, Pietermaritzburg, 246 p. | [VELD]

Danckwerts, J.E., | 1982. | The grazing capacity of Sweetveld: 1. A technique to record grazing capacity, Proceedings of the Grassland Society of Southern Africa, VOL 17, p. 90-93. | [VELD]

Danckwerts, J.E., | 1982. | The grazing capacity of Sweetveld: 2. A model to estimate grazing capacity in the False Thornveld of the eastern Cape, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 17, p. 94-98. | [VELD]

Danckwerts, J.E. and Barnard, H.J., | 1981. | Short term effects of defoliation on herbage yield at three veld condition sites in the False Thornveld of the eastern Province, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 16, p. 79-84. | [VELD]

Danckwerts, J.E. and King, P.G., | 1984. | Conservative stocking or maximum profit? A grazing management dilemma, Journal of the Grassland Society of Southern Africa, VOL 1(4), p. 25-28. | [VELD]

Danckwerts, J.E. and Teague, W.R. (eds), | 1989. | Veld management in the eastern Cape, Pasture Research Section (Eastern Cape Region), Department of Agriculture and Water Supply, Stutterheim, 196 p. | [VELD]

Danckwerts, J.E. and Van Rooyen, C.J., | 1980. | Maximum profitability as a criterion for optimization of utilization intensity, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 53-57. | [VELD]

Davidson, R.L., | 1964. | Chapter 8. An experimental study of succession in the Transvaal Highveld, In: Davis, D.H.S., De Meillon, B., Harington, J.S. and Kalk, M. (eds), <u>Ecological Studies in Southern Africa</u>, Monographiae Biologicae VOL 14, W. Junk, The Hague, The Netherlands, p. 113-125. | [VELD]

De Jager, J.M., Opperman, D.P.J. and Booysen, J., | 1980. | Produksie van natuurlike grasveld in die sentrale Oranje-Vrystaat in verhouding tot klimaat, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 65-68. | [VELD]

De Klerk, C.H., | 1986. | 'n Ondersoek na faktore wat in die weg staan van die aanvaarding van aanbevole veldbeheerpraktyke, Suid-Afrikaanse Instituut vir Landbouvoorligting, Universiteit van Pretoria, Pretoria, 291 p. | [VELD]

De Villiers, G. du T., | 1976. | Rainfall interception in a stand of sourish mixed bushveld, <u>Journal of the</u> <u>University of Durban-Westville</u>, VOL 2(4), p. 75-85. | [VELD]

De Villiers, G. du T., | 1976. | Reënvalonderskeppingsverlies in 'n stand van suuragtige gemengde bosveld, <u>South African Geographical Journal</u>, VOL 58(1), p. 76-85. | [VELD]

De Villiers, G. du T., | 1977. | Netto reënval en onderskeppingsverlies in 'n Savannabedekking, <u>South</u> <u>African Geographer</u>, VOL 5(6), p. 465-475. | [VELD]

De Villiers, G. du T., | 1978. | Grondreënval en onderskeppingsverliese by landbougewasse, <u>Crop</u> <u>Production</u>, VOL 7, p. 153-157. | [VELD]

De Villiers, G. du T., | 1980. | Rainfall interception by grass, <u>Journal of the University of Durban-Westville</u>, VOL 3(3), p. 237-239. | [VELD]

De Villiers, G. du T., | 1982. | Predictive models for estimating net rainfall and interception losses in Savanna vegetation, <u>Water SA</u>, VOL 8(4), p. 208-212. | [VELD]

De Villiers, G. du T. and De Jager, J.M., | 1981. | Net rainfall and interception losses in a <u>Burkea africana-Ochna pulchra</u> tree Savanna, <u>Water SA</u>, VOL 7(4), p. 249-254. | [VELD]

De Winter, B., Killick, D.J.B. and Edwards, D., | 1979. | Terrestrial ecology in South Africa, <u>South African</u> Journal of Science, VOL 75(2), p. 59-61. | [VELD]

Degenaar, S.A., | 1946. | Grasses for controlling soil erosion, <u>Farming in South Africa</u>, VOL 21(248), p. 725-726. | [VELD]

Downing, B.H., | 1979. | Grass protein content and soils as factors affecting area-selective grazing by wild herbivores in the Umfolozi Game Reserve, Zululand, <u>Proceedings of the Grassland Society of Southern</u> <u>Africa</u>, VOL 14, p. 85-88. | [VELD]

Drewes, R.H., | 1991. | The Potch System: an approach to the management of semi-arid grasslands in southern Africa, Journal of the Grassland Society of Southern Africa, VOL 8(4), p. 174-178. | [VELD]

Du Toit, P.C.V., | 1986. | The grassveld types of South Africa: their distribution, characteristics and management, with particular reference to Natal, Cedara Report No. N/A/86/7, Department of Agriculture and Water Supply (Natal Region), Cedara, 21 p. + app. | [VELD]

Du Toit, P.C.V., | 1988. | Veld condition assessment handbook, Cedara Report No. N/A/88/11, Department of Agriculture and Water Supply (Natal Region), Cedara, 48 p. | [VELD]

Du Toit, P.F., | 1968. | A preliminary report on the effect of <u>Acacia karroo</u> competition on the composition and yield of sweet grassveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 3, p. 147-149. | [VELD]

Du Toit, P.F., Aucamp, A.J. and Bruwer, J.J., | 1991. | The National Grazing Strategy of the Republic of South Africa. Objectives, achievements and future challenges, <u>Journal of the Grassland Society of Southern</u> <u>Africa</u>, VOL 8(4), p. 126-130. | [VELD]

Du Toit, P.F. and Aucamp, A.J., | 1985. | Effect of continuous grazing in the Dohne Sourveld on species composition and basal cover, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 2(4), p. 41-45. | [VELD]

Du Toit, P.F. and Nel, L.O., | 1973. | Chemiese beheer van <u>Acacia karroo</u>, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 8, p. 29-34. | [VELD]

Dye, P.J., | 1983. | Prediction of variation in grass growth in a semi-arid induced grassland, Ph.D. Thesis, Department of Botany, University of the Witwatersrand, Johannesburg, 153 p. | [VELD]

Edwards P.J., | 1972. | A system of veld classification and management planning, Technical Communication No. 102, Department of Agricultural Technical Services, Pretoria, 12 p. | [VELD]

Edwards, P.J., | 1973. | Definitions of some pasture terms, <u>Proceedings of the Grassland Society of Southern</u> <u>Africa</u>, VOL 8, p. 133-135. | [VELD]

Edwards, P.J., | 1974. | Estimates of carrying capacity and production from herbage yields and grazing days, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 9, p. 139-143. | [VELD]

Edwards, P.J., | 1975. | Pasture research in South Africa during the next decade, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 10, p. 25-27. | [VELD] Edwards, P.J., | 1980. | The use of stocking rate/animal performance models in research and extension, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 73-77. | [VELD]

Edwards, P.J., | 1981. | Principles of grassland management. Chapter 14. Terms describing aspects of vegetation and its management, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 313-321. | [VELD]

Edwards, P.J., | 1981. | Principles of grassland management. Chapter 15. Grazing management, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 323-354. | [VELD]

Edwards, P.J., Scotney, D.M., Bartholomew, P.E. and Tainton, N.M., | 1980. | Environmental modifications for improved grassland production, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 19-30. | [VELD]

Edwards, P.J. and Coetsee, G., | 1971. | Growth vigour and carrying capacity of veld - how to determine it, Farming in South Africa, VOL 47(8), p. 38-39. | [VELD]

Ellery, W.N., Scholes, R.J. and Mentis, M.T., | 1991. | An initial approach to predicting the sensitivity of the South African grassland biome to climate change, <u>South African Journal of Science</u>, VOL 87(10), p. 499-503. | [VELD]

Erskine, J.M., | 1992. | Creating the right conditions for optimal management of grazing livestock and sustainable use of grasslands in less developed areas of southern Africa, Paper presented at the First Symposium of the Developing Areas Branch of the Grassland Society of Southern Africa, 16-18 September 1992, INR Occasional Paper No. 117, Institute of Natural Resources, University of Natal, Pietermaritzburg, 23 p. | [VELD]

Fabricius, C. and Mentis, M.T., | 1992. | Modelling the habitat relations of kudu in arid Savanna, <u>South</u> <u>African Journal of Science</u>, VOL 88(5), p. 280-284. | [VELD]

Foran, B.D., Tainton, N.M. and Booysen, P. de V., | 1978. | The development of a method for assessing veld condition in three grassveld types in Natal, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 13, p. 27-33. | [VELD]

Foran, D.B., | 1976. | The development and testing of methods for assessing the condition of three grassveld types in Natal, M.Sc. (Agric) Thesis, Department of Pasture Science, University of Natal, Pietermaritzburg, 161 p. [Users should note that Foran, Daniel Bernard is cited as Foran, B.D. elsewhere in the literature]. | [VELD]

Forbes, R.G. and Trollope, W.S.W., | 1991. | Veld management in the communal areas of Ciskei, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 8(4), p. 147-152. | [VELD]

Fourie, J.H., Opperman, D.P.J. and Roberts, B.R., | 1985. | Influence of stocking rate and grazing systems on available grazing in the northern Cape, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 2(3), p. 24-26. | [VELD]

Furness, H.D. and Breen, C.M., | 1980. | The vegetation of seasonally flooded areas of the Pongolo River Floodplain, <u>Bothalia</u>, VOL 13(1/2), p. 217-231. | [VELD]

Furness, H.D. and Breen, C.M., | 1982. | Decomposition of <u>Cynodon dactylon</u> (L.) Pers. in the seasonally flooded areas of the Pongolo River Floodplain: pattern and significance of dry matter and nutrient loss, <u>Hydrobiologia</u>, VOL 97(1), p. 119-126. | [VELD]

Furness, H.D. and Breen, C.M., | 1985. | Interactions between period of exposure, grazing and crop growth rate of <u>Cynodon dactylon</u> (L.) Pers. in seasonally flooded areas of the Pongolo River Floodplain, <u>Hydrobiologia</u>, VOL 126(1), p. 65-73. | [VELD]

Gammon, D.M., | 1978. | A review of experiments comparing systems of grazing management on natural pastures, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 13, p. 75-82. | [VELD]

Gammon, D.M., | 1991. | Patterns of defoliation under continuous and rotational grazing, <u>Bulletin of the</u> <u>Grassland Society of Southern Africa Supplement 1</u>, July 1991, p. 7-17. | [VELD]

Gammon, D.M. and Twiddy, D.R., | 1990. | Patterns of defoliation in four- and eight-paddock grazing systems, Journal of the Grassland Society of Southern Africa, VOL 7(1), p. 29-35. | [VELD]

Gibbs Russell, G.E., Watson, L., Koekemoer, M., Smook, L., Barker, N.P., Anderson, H.M. and Dallwitz, M.J., | 1990. | Grasses of southern Africa: an identification manual with keys, descriptions, distributions, classification and automated identification and information retrieval from computerized data, Memoir No. 58, Botanical Survey of South Africa, Botanical Research Institute, Department of Agricultural Development, Pretoria, 437 p. | [VELD]

Gibbs Russell, G.E. and Smook, L., | 1980. | Names of southern African grasses: name changes and additional species reported since 1955, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 89-97. | [VELD]

Gillard, P., | 1969. | The effect of stocking rate on botanical composition and soils in natural grassland in South Africa, Journal of Applied Ecology, VOL 6(3), p. 489-497. | [VELD]

Glover, P.E. and Janse van Rensburg, H., | 1938. | A contribution to the ecology of the Highveld grassland at Frankenwald, in relation to grazing and burning, <u>South African Journal of Science</u>, VOL 35, p. 274-279. | [VELD]

Goossens, A.P. and Stapelberg, W.J., | 1933. | A brief note on the macroscopic aspect of some western Transvaal grasses, <u>South African Journal of Science</u>, VOL 30, p. 212-219. | [VELD]

Grobler, J.H., | 1972. | The agricultural potential of the Bantu homelands, <u>Journal of Racial Affairs</u>, VOL 23(1), p. 37-43. [This paper provides brief data on grazing capacity]. | [VELD]

Grossman, D., | 1982. | Primary production of rangeland: practical and interpretive problems, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 17, p. 76-78. | [VELD]

Grossman, D. and Gandar, M.V., | 1989. | Land transformation in South African Savanna regions, <u>South</u> <u>African Geographical Journal</u>, VOL 71(1), p. 38-45. | [VELD]

Grunow, J.O., | 1973. | Research relating to the management of South African grassland ecosystems, <u>South</u> <u>African Journal of Science</u>, VOL 69(2), p. 54-56. | [VELD]

Grunow, J.O., | 1980. | Feed and habitat preferences among some large herbivores on African veld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 141-146. | [VELD]

Grunow, J.O. and Morris, J.W., | 1969. | Preliminary assessment of ecological status of plant species in three South African veld types, Journal of South African Botany, VOL 35(1), p. 1-12. | [VELD]

Haigh, H., | 1973. | Grassing eroded areas in the Drakensberg, <u>Forestry in South Africa</u>, No. 14, June 1973, p. 31-33. | [VELD]

Haigh, H., | 1976. | Grassing roads and eroded areas in the Drakensberg, <u>South African Forestry Journal</u>, No. 97, June 1976, p. 63-66. | [VELD]

Hall, T.D., | 1931. | Intensive grazing on veld, <u>South African Journal of Science</u>, VOL 28, p. 202-204. | [VELD]

Hall, T.D., | 1934. | South African pastures: retrospective and prospective, <u>South African Journal of Science</u>, VOL 31, p. 59-97. | [VELD]

Hardy, M.B., | 1986. | Grazing dynamics in Highland Sourveld, M.Sc. Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 84 p. | [VELD]

Hardy, M.B. and Hurt, C.R., | 1989. | An evaluation of veld condition assessment techniques in Highland Sourveld, Journal of the Grassland Society of Southern Africa, VOL 6(2), p. 51-58. | [VELD]

Hardy, M.B. and Mentis, M.T., | 1986. | Grazing dynamics in Sour Grassveld, <u>South African Journal of Science</u>, VOL 82(10), p. 566-572. | [VELD]

Hardy, M.B. and Tainton, N.M., | 1993. | Towards a technique for determining basal cover in tufted grasslands, <u>African Journal of Range and Forage Science</u>, VOL 10(2), p. 77-81. | [VELD]

Harris, D., | 1992. | Pasture science research in the Natal Region, 1970-1992, Cedara Report No. N/A/92/8, Department of Agricultural Development, Cedara, 118 p. [This publication provides brief details of internal departmental research projects and postgraduate theses dealing with the veld and pastures of Natal/KwaZulu]. | [VELD]

Hatch, G.P., | 1992. | The bioeconomic implications of various stocking rate strategies in the Lowveld of Natal, In: Hurt, C.R. and Zacharias, P.J.K. (eds), Proceedings of the First Natal Bushveld Symposium: Special Publication 1992, Grassland Society of Southern Africa, Pietermaritzburg, p. 24-27. | [VELD]

Hatch, G.P. and Tainton, N.M., | 1990. | A preliminary investigation of area-selective grazing in the Southern Tall Grassveld of Natal, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(4), p. 238-242. | [VELD]

Heard, C.A.H., Tainton, N.M, Clayton, J. and Hardy, M.B., | 1986. | A comparison of five methods for assessing veld condition in the Natal Midlands, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 3(3), p. 70-76. | [VELD]

Henrici, M., | 1943. | Transpiration of grasses in the Sour Mountain Grassveld of the Drakensberg in comparison with the water loss of indigenous forests, <u>South African Journal of Science</u>, VOL 39, p. 155-163. | [VELD]

Henrici, M., | 1946. | The transpiration of South African plant association, Part 3. Indigenous and exotic trees in the Drakensberg area, Science Bulletin No. 247, Department of Agriculture, Pretoria, 85 p. | [VELD]

Hewitt, P.H., Van der Westhuizen, M.C., Van der Linde, T.C. de K. and Mitchell, J., | 1990. | The dry matter, energy and nitrogen budget of the harvester termite <u>Hodotermes mossambicus</u> (Hagen), <u>South African Journal of Science</u>, VOL 86(1), p. 30-34. | [VELD]

Hoffman, M.T., | 1988. | The rationale for Karoo grazing systems: criticisms and research implications, <u>South African Journal of Science</u>, VOL 84(7), p. 556-559. | [VELD]

Hoffman, M.T., | 1991. | Is the Karoo spreading?, Veld and Flora, VOL 77(1), p. 4-7. | [VELD]

Hoffman, M.T., Barr, G.D. and Cowling, R.M., | 1990. | Vegetation dynamics in the semi-arid eastern Karoo, South Africa: the effect of seasonal rainfall and competition on grass and shrub basal cover, <u>South African</u> Journal of Science, VOL 86(7/10), p. 462-463. | [VELD]

Hoffman, M.T. and Cowling, R.M., | 1987. | Chapter 1. Plant physiognomy, phenology and demography, In: Cowling, R.M. and Roux, P.W. (eds), The Karoo Biome: a Preliminary Synthesis, Part 2 - Vegetation and History, South African National Scientific Programmes Report No. 142, Foundation for Research Development, CSIR, Pretoria, p. 1-34. | [VELD]

Hornby, H.E., | 1968. | Overstocking - a modern approach to the problem, <u>Rhodesia Agricultural Journal</u>, VOL 65(2), p. 67-74. | [VELD]

Howell, D., | 1976. | Observations on the role of grazing animals in revegetating problem patches of veld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 11, p. 59-63. | [VELD]

Hurt, C.R., | 1989. | The relationship between range condition score and long-term stocking rates applied to two vegetation types in Natal, M.Sc. (Agric) Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 226 p. | [VELD]

Hurt, C.R., Hardy, M.B. and Tainton, N.M., | 1993. | Identification of key grass species under grazing in the Highland Sourveld of Natal, <u>African Journal of Range and Forage Science</u>, VOL 10(2), p. 96-102. | [VELD]

Hurt, C.R. and Bosch, O.J.H., | 1991. | A comparison of some range condition assessment techniques used in southern African grasslands, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 8(4), p. 131-137. | [VELD]

Janse van Rensburg, H., | 1939. | A further contribution to the ecology of the Highland grassland at Frankenwald, in relation to grazing, <u>South African Journal of Science</u>, VOL 36, p. 238-245. | [VELD]

Joubert, J.G.V., | 1974. | <u>Weidingsbeheer in Suid- en Suidwes-Afrika</u>, Universiteits-Uitgewers en -Boekhandelaars Bpk, Stellenbosch, 64 p. | [VELD]

Joubert, S.C.J., Goodman, P.S. and Van der Walt, P.T., | 1988. | Chapter 11. Southern African Savanna ecosystems. General overview, In: Macdonald, I.A.W. and Crawford, R.J.M. (eds), Long-term Data Series Relating to Southern Africa's Renewable Natural Resources, South African National Scientific Programmes Report No. 157, Foundation for Research Development, CSIR, Pretoria, p. 290-308. | [VELD]

Kelly, R.D. and Walker, B.H., | 1976. | The effects of different forms of land use on the ecology of a semiarid region in south-eastern Rhodesia, Journal of Ecology, VOL 64(2), p. 553-576. | [VELD]

King, N.D., | 1987. | Vegetation dynamics in Hluhluwe Game Reserve, Natal, with emphasis on the bush encroachment problem, M.Sc. Thesis, Department of Biology, University of Natal, Durban, 250 p. | [VELD]

Kirkman, K.P., | 1988. | Factors affecting the seasonal variation of veld quality in South Africa, M.Sc. (Agric) Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 156 p. | [VELD]

Le Roux, A. and Morris, J.W., | 1977. | Effects of certain burning and cutting treatments and fluctuating annual rainfall on seasonal variation in grassland basal cover, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 12, p. 55-58. | [VELD]

Liebenberg, J.C., | 1938. | Soil-erosion control in the Union, 6. Run-off and veld improvement, <u>Farming in</u> <u>South Africa</u>, VOL 13(148), p. 269-270. | [VELD] Lovegrove, B.G. and Siegfried, W.R., | 1986. | Distribution and formation of Mima-like earth mounds in the western Cape Province of South Africa, <u>South African Journal of Science</u>, VOL 82(8), p. 432-436. | [VELD]

Lovegrove, B.G. and Siegfried, W.R., | 1989. | Spacing and origin(s) of Mima-like earth mounds in the Cape Province of South Africa, <u>South African Journal of Science</u>, VOL 85(2), p. 108-112. | [VELD]

Lyne, M.C. and Nieuwoudt, W.L., | 1990. | The real tragedy of the commons: livestock production in KwaZulu, <u>South African Journal of Economics</u>, VOL 58(1), p. 88-96. | [VELD]

Maggs, T., | 1984. | Man's use of the grasslands in pre-colonial Natal, Arena, VOL 7(1), p. 5-9. | [VELD]

Martens, J.C., Danckwerts, J.E., Stuart-Hill, G.C. and Aucamp, A.J., | 1990. | Use of multivariate techniques to identify vegetation units and monitor change on a livestock production system in a semi-arid Savanna of the eastern Cape, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(3), p. 184-189. | [VELD]

Matthews, D.A., | 1984. | Grass dynamics in a southern African grass-herbivore system, M.Sc. Thesis, Faculty of Science, University of the Witwatersrand, Johannesburg, 137 p. | [VELD]

McKenzie, B., | 1982. | Resilience and stability of the grasslands of Transkei, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 17, p. 21-24. | [VELD]

Meissner, H.H., | 1982. | C.3. Substitution values of various classes of farm and game animals in terms of a biologically defined Large Stock Unit, Beef Cattle C.3/1982, <u>Farming in South Africa</u>, Department of Agriculture, Pretoria, 4 p. | [VELD]

Meissner, H.H., Hofmeyr, H.S., Van Rensburg, W.J.J. and Pienaar, J.P., | 1983. | Classification of livestock for realistic prediction of substitution values in terms of a biologically defined Large Stock Unit, Technical Communication No. 175, Department of Agriculture, Pretoria, 40 p. | [VELD]

Mentis, M.T., | 1977. | Stocking rates and carrying capacities for ungulates on African rangelands, <u>South</u> <u>African Journal of Wildlife Research</u>, VOL 7(2), p. 89-98. | [VELD]

Mentis, M.T., | 1980. | The effect of animal size and adaptation on defoliation, selective defoliation, animal production and veld condition, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 147-151. | [VELD]

Mentis, M.T., | 1980. | Towards a scientific management of terrestrial ecosystems, <u>South African Journal of</u> <u>Science</u>, VOL 76(12), p. 536-540. | [VELD]

Mentis, M.T., | 1981. | The animal factor. Chapter 13. The animal as a factor in pasture and veld management, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 287-311. [The chapter contains brief data on livestock faecal production]. | [VELD]

Mentis, M.T., | 1981. | Evaluation of the wheel-point and step-point methods of veld condition assessment, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 16, p. 89-94. | [VELD]

Mentis, M.T., | 1982. | A simulation of the grazing of Sour Grassveld, Ph.D. Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 189 p. | [VELD]

Mentis, M.T., | 1983. | Towards objective veld condition assessment, <u>Proceedings of the Grassland Society</u> of Southern Africa, VOL 18, p. 77-80. | [VELD]

Mentis, M.T., | 1984. | Monitoring in South African grasslands, South African National Scientific Programmes Report No. 91, Foundation for Research Development, CSIR, Pretoria, 55 p. | [VELD]

Mentis, M.T., | 1984. | Optimizing stocking rate under commercial and subsistence pastoralism, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 1(1), p. 20-24. | [VELD]

Mentis, M.T., | 1985. | Conserving rangeland resources, Journal of the Grassland Society of Southern Africa, VOL 2(3), p. 27-31. | [VELD]

Mentis, M.T. (ed), | 1986. | Monitoring in South African grasslands, Workshop No. 2, Ecosystem Programmes Occasional Report Series No. 13, Foundation for Research Development, CSIR, Pretoria, 39 p. | [VELD]

Mentis, M.T., | 1989. | Developing techniques to detect vegetation changes in South Africa, <u>South African</u> Journal of Science, VOL 85(2), p. 86-88. | [VELD]

Mentis, M.T., Collinson, R.F.H. and Wright, M.G., | 1980. | The precision of assessing components of the condition of Moist Tall Grassveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 43-46. | [VELD]

Mentis, M.T., Curtis, N., O'Reagain, P.J., Stuart-Hill, G.C. and Trollope, W.S.W., | 1981. | Amatola Basin Rural Development Project (Ciskei), 2: The grazing and browsing capacity of the Amatola Basin, ARDRI Report No. 4/81, Agricultural and Rural Development Research Institute, University of Fort Hare, Alice, 57 p. | [VELD]

Mentis, M.T., Grossman, D., Hardy, M.B., O'Connor, T.G. and O'Reagain, P.J., | 1989. | Paradigm shifts in South African range science, management and administration, <u>South African Journal of Science</u>, VOL 85(11), p. 684-687. | [VELD]

Mentis, M.T. and Collinson, R.F.H., | 1979. | Management goals for wildlife reserves in grassveld and bushveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 14, p. 71-74. | [VELD]

Mentis, M.T. and Duke, R.R., | 1976. | Carrying capacities of natural veld in Natal for large wild herbivores, <u>South African Journal of Wildlife Research</u>, VOL 6(2), p. 65-74. | [VELD]

Mentis, M.T. and Huntley, B.J., | 1982. | A description of the grassland biome project, South African National Scientific Programmes Report No. 62, Cooperative Scientific Programmes, CSIR, Pretoria, 29 p. | [VELD]

Mentis, M.T. and Walker, R.S., | 1989. | An expert system for monitoring vegetation, <u>South African Journal</u> <u>of Science</u>, VOL 85(4), p. 241-245. | [VELD]

Meredith, D. (ed), | 1955. | <u>The Grasses and Pastures of South Africa</u>, Central News Agency, [Johannesburg], 771 p. | [VELD]

Miles, N. and Tainton, N.M., | 1979. | Establishing vegetation on kimberlite mine tailings: 1. Defining the problem and selecting species, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 14, p. 37-41. | [VELD]

Miles, N. and Tainton, N.M., | 1979. | Establishing vegetation on kimberlite mine tailings: 2. Field trials, Proceedings of the Grassland Society of Southern Africa, VOL 14, p. 43-48. | [VELD]

Milton, S.J., Dean, W.R.J., Du Plessis, M.A. and Siegfried, W.R., | 1994. | A conceptual model of arid rangeland degradation: the escalating cost of declining productivity, <u>BioScience</u>, VOL 44(2), p. 70-76. | [VELD]

Mogg, A.O.D., | 1921. | A method of veld estimation, <u>South African Journal of Science</u>, VOL 17(2), p. 222-226. | [VELD]

Moll, E.J., | 1980. | Is Mkuzi Game Reserve being over-browsed?, <u>South African Journal of Science</u>, VOL 76(9), p. 389-390. | [VELD]

Moolman, J.H., | 1986. | Infiltration studies in a semi-arid catchment, Combined Congress of the South African Society of Crop Production, the Southern African Weed Science Society and the Soil Science Society of Southern Africa, 21-23 January 1986, Pretoria. | [VELD]

Moore, A., | 1980. | Waterbalans studies in geselekteerde sub-habitate van 'n Burkea-Savanna, M.Sc. (Agric) Thesis, Department of Pasture Science, University of the Orange Free State, Bloemfontein, 182 p. | [VELD]

Moore, A., Opperman, D.P.J. and Van Rooyen, D.J., | 1982. | Herverspreiding van grondwater in drie subhabitatte van 'n <u>Burkea</u>-Savanna, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 17, p. 112-116. | [VELD]

Moore, A., Van Eck, J.A.J., Van Niekerk, J.P. and Robertson, B.L., | 1988. | Evapotranspirasie in drie plantgemeenskappe van 'n <u>Rhigozum trichotomum</u> habitat te Upington, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 5(2), p. 80-84. | [VELD]

Morris, J.W. and Muller, P.J., | 1970. | Seasonal variation of grassland basal cover, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 5, p. 145-152. | [VELD]

Moses, D. and Deenik, Z., | 1933. | The botanical survey of intensively grazed veld, <u>South African Journal of</u> <u>Science</u>, VOL 30, p. 317-323. | [VELD]

Mostert, J.W.C., Roberts, B.R., Heslinga, C.F. and Coetzee, P.G.F., | 1971. | Veldbestuur in die O.V.S.streek, Pamphlet No. 391, Department of Agricultural Technical Services, Pretoria, 98 p. | [VELD]

Muller, P.J., | 1963. | A stave-point apparatus for vegetation survey and measurement on steep and rockstrewn hill slopes, <u>South African Journal of Agricultural Science</u>, VOL 6(2), p. 339-343. | [VELD]

Nanni, U.W., | 1969. | Veld management in the Natal Drakensberg, <u>South African Forestry Journal</u>, No. 68, March 1969, p. 5-15. | [VELD]

Nanni, U.W., | 1974. | Veld management in the proposed Valley of 1 000 Hills Nature Reserve, <u>Proceedings</u> of the Grassland Society of Southern Africa, VOL 9, p. 39-44. | [VELD]

Nanni, U.W., | 1979. | Veld management in the Umgeni Valley Nature Reserve, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 14, p. 95-99. | [VELD]

Nel, C., | 1991. | Veld condition in South Africa: Part 1 - an expert gives the overall view, <u>Farmer's Weekly</u>, 15 February 1991, p. 38-42. | [VELD]

Nel, C., | 1991. | Veld condition in South Africa: Part 2 - farmers must be more professional, if they are to cope with the factors influencing veld condition, <u>Farmer's Weekly</u>, 22 February 1991, p. 26-28. | [VELD]

Nel, C., | 1991. | Veld condition in SA: Part 3 - desert danger is overrated, <u>Farmer's Weekly</u>, 1 March 1991, p. 22-24. | [VELD]

Neser, S. and Cairns, A.L.P. (eds), | 1980. | <u>Proceedings of the Third National Weeds Conference of South</u> <u>Africa</u>, A.A. Balkema, Cape Town, 214 p. [This publication discusses a number of issues, including plant invaders, weeds and the use of herbicides/pesticides, for example atrazine]. | [VELD]

Nicholas, G.W., | 1952. | The answer to desert encroachment: conservation methods in arid Karoo by individual enterprise sets springs flowing after last trickle stopped twenty-five years ago, <u>Farmer's Weekly</u>, 25 June 1952, p. 14-17. | [VELD]

Novellie, P., | 1988. | Chapter 10. The Karoo region, In: Macdonald, I.A.W. and Crawford, R.J.M. (eds), Long-term Data Series Relating to Southern Africa's Renewable Natural Resources, South African National Scientific Programmes Report No. 157, Foundation for Research Development, CSIR, Pretoria, p. 280-289. | [VELD]

Novellie, P., | 1990. | Habitat use by indigenous grazing ungulates in relation to sward structure and veld condition, Journal of the Grassland Society of Southern Africa, VOL 7(1), p. 16-23. | [VELD]

Novellie, P., Hall-Martin, A.J. and Joubert, D., | 1991. | The problem of maintaining large herbivores in small conservation areas: deterioration of the grassveld in the Addo Elephant National Park, <u>Koedoe</u>, VOL 34(1), p. 41-50. | [VELD]

Nursey, W.R.E. and Kruger, A.H.G., | 1973. | The effect of spring mowing and burning on seed and dry matter production of <u>Anthephora pubescens</u> Nees, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 8, p. 123-127. | [VELD]

O'Connor, T.G., | 1985. | A synthesis of field experiments concerning the grass layer in the Savanna regions of southern Africa, South African National Scientific Programmes Report No. 114, Foundation for Research Development, CSIR, Pretoria, 126 p. [This publication contains an extended bibliography]. | [VELD]

O'Connor, T.G., | 1991. | The influence of rainfall and grazing on the population and compositional response of some Savanna grasslands, Ph.D. Thesis, Department of Botany, University of the Witwatersrand, Johannesburg, 301 p. | [VELD]

O'Reagain, P.J.O. and Turner, J.R., | 1992. | An evaluation of the empirical basis for grazing management recommendations for rangeland in southern Africa, Journal of the Grassland Society of Southern Africa, VOL 9(1), p. 38-49. | [VELD]

Opperman, D.P.J., | 1980. | Die benutting en bewaring van die weidingsekosisteem in die R.S.A., Proceedings of the Grassland Society of Southern Africa, VOL 15, p. 13-17. | [VELD]

Opperman, D.P.J., Human, J.J. and Viljoen, M.F., | 1977. | Evapotranspirasie studies op <u>Themeda triandra</u> Forsk. onder veldtoestande, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 12, p. 71-76. | [VELD]

Opperman, D.P.J. and Roberts, B.R., | 1975. | Evapotranspiration studies on <u>Themeda triandra</u> under field conditions: a study in lysimeter methodology, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 10, p. 103-109. | [VELD]

Palmer, A.R., Hobson, C.G. and Hoffman, M.T., | 1990. | Vegetation change in a semi-arid succulent dwarf shrubland in the eastern Cape, South Africa, <u>South African Journal of Science</u>, VOL 86(7/10), p. 392-395. | [VELD]

Pentz, J.A., | 1938. | The value of botanical survey and mapping of vegetation as applied to farming systems in South Africa, Memoir No. 19, Botanical Survey of South Africa, Department of Agriculture and Forestry, Pretoria, 15 p. + app. | [VELD]

Pereira, H.C. and Beckley, V.R.S., | 1953. | Grass establishment on eroded soil in a semi-arid African reserve, <u>Empire Journal of Experimental Agriculture</u>, VOL 21(81), p. 1-14. [Available in the Life Sciences Library, University of Natal, Pietermaritzburg]. | [VELD]

Phillips, E.P., | 1931. | <u>An Introduction to the Study of the South African Grasses with Notes on Their</u> <u>Structure, Distribution, Cultivation, etc.</u>, South African Agricultural Series VOL 6, Central News Agency, [Johannesburg], 224 p. | [VELD]

Phillips, J., | 1938. | 3. Section C: Deterioration in the vegetation of the Union of South Africa, and how this may be controlled, <u>South African Journal of Science</u>, VOL 35, p. 476-484. | [VELD]

Phillips, J., | 1975. | Forty-five years ago and forty-five onward, <u>Proceedings of the Grassland Society of</u> <u>Southern Africa</u>, VOL 10, p. 13-23. [This paper reviews progress in veld management]. | [VELD]

Pole-Evans, I.B., | 1920. | The veld: its resources and dangers, <u>South African Journal of Science</u>, VOL 17(1), p. 1-34. | [VELD]

Prescott, J.R.V., | 1961. | Overpopulation and overstocking in the Native areas of Matabeleland, <u>Geographical Journal</u>, VOL 127(2), p. 212-225. | [VELD]

Rethman, N.F.G. and Kotze, G.D., | 1986. | Veld condition in the south-eastern Transvaal and its effect on grazing capacity, Journal of the Grassland Society of Southern Africa, VOL 3(4), p. 134-140. | [VELD]

Roberts, B.R., | 1965. | Veld management - the cornerstone of conservation, Leaflet No. 19, Department of Agricultural Technical Services, Pretoria, 22 p. | [VELD]

Roberts, B.R., | 1969. | Application of veld management in South Africa: an analysis of progress, Proceedings of the Grassland Society of Southern Africa, VOL 4, p. 92-98. | [VELD]

Roberts, B.R., | 1970. | Assessment of veld condition and trend, <u>Proceedings of the Grassland Society of</u> <u>Southern Africa</u>, VOL 5, p. 137-139. | [VELD]

Roberts, B.R., | 1971. | Habitat preferences of twenty-seven grasses, <u>Proceedings of the Grassland Society of</u> <u>Southern Africa</u>, VOL 6, p. 44-49. | [VELD]

Roberts, B.R., | 1974. | Ecological research in conserved areas in the Orange Free State, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 9, p. 45-51. | [VELD]

Roberts, B.R., | 1975. | Microclimatic differences in habitat on a high mountain in the Orange Free State, Proceedings of the Grassland Society of Southern Africa, VOL 10, p. 49-55. | [VELD]

Roberts, B.R., Anderson, E.R. and Fourie, J.H., | 1975. | Evaluation of natural pastures: quantitative criteria for assessing condition in *Themeda* veld of the Orange Free State, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 10, p. 133-140. | [VELD]

Roberts, B.R. and Opperman, D.P.J., | 1974. | Veld management recommendations - a reassessment of key species and proper use factors, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 9, p. 149-155. | [VELD]

Robinson, E.R., Gibbs Russell, G.E., Trollope, W.S.W. and Downing, B.H., | 1979. | Short-term burning treatments and ecological interactions in the herb layer of False Thornveld of the Eastern Province, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 14, p. 79-83. | [VELD]

Rode, M.C.H., | 1939. | Shrubs as an aid in erosion control: the value of Agaves, <u>Farming in South Africa</u>, VOL 14(164), p. 453-455, 460. | [VELD]

Rossaak, A.L., | 1993. | A preliminary study on the effect of rainfall and temperature on the growth of <u>Themeda triandra</u> and <u>Tristachya leucothrix</u>, M.Sc. (Agric) Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 151 p. | [VELD]

Roux, E., | 1969. | <u>Grass: A Story of Frankenwald</u>, Oxford University Press, Cape Town, 212 p. [This book covers a number of topics, including fire, soil erosion, grazing and overgrazing. It has a useful bibliography of published papers and theses dealing with work undertaken at Frankenwald]. | [VELD]

Roux, P.W., | 1963. | The descending-point method of vegetation survey. A point-sampling method for the measurement of semi-open grasslands and Karoo vegetation in South Africa, <u>South African Journal of Agricultural Science</u>, VOL 6(2), p. 273-287. | [VELD]

Roux, P.W., | 1990. | The general condition of the veld in the Republic of South Africa, 1990 Save Our Soil: Conference on the Conservation Status of Agricultural Resources in the RSA, National Veld Trust, 30-31 October 1990, Pretoria, 18 p. | [VELD]

Roux, P.W. and Theron, G.K., | 1987. | Chapter 3. Vegetation change in the Karoo Biome, In: Cowling, R.M. and Roux, P.W. (eds), The Karoo Biome: a Preliminary Synthesis, Part 2 - Vegetation and History, South African National Scientific Programmes Report No. 142, Foundation for Research Development, CSIR, Pretoria, p. 50-69. | [VELD]

Roux, P.W. and Vorster, M., | 1983. | Vegetation change in the Karoo, <u>Proceedings of the Grassland Society</u> of Southern Africa, VOL 18, p. 25-29. | [VELD]

Rowe-Rowe, D.T. and Scotcher, J.S.B., | 1985. | Ecological carrying capacity of the Natal Drakensberg for wild ungulates, <u>South African Journal of Science</u>, VOL 81(11), p. 702. [Abstract]. | [VELD]

Rowe-Rowe, D.T. and Scotcher, J.S.B., | 1986. | Ecological carrying capacity of the Natal Drakensberg for wild ungulates, <u>South African Journal of Wildlife Research</u>, VOL 16(1), p. 12-16. | [VELD]

Rowland, J.W., | 1933. | Notes on the study of plant succession in relation to grazing, <u>South African Journal</u> of <u>Science</u>, VOL 30, p. 307-316. | [VELD]

Rowland, J.W., | 1937. | Aims and technique of Sour Veld management experiments, <u>South African Journal</u> of Science, VOL 33, p. 611-616. | [VELD]

Rowland, J.W., | 1937. | Grazing management, Bulletin No. 168, Division of Plant Industry Series No. 12, Department of Agriculture and Forestry, Pretoria, 26 p. | [VELD]

Rutherford, M.C., | 1980. | Annual plant production-precipitation relations in arid and semi-arid regions, South African Journal of Science, VOL 76(2), p. 53-56. | [VELD]

Scholes, R.J., | 1990. | The regrowth of <u>Colophospermum mopane</u> following clearing, <u>Journal of the</u> <u>Grassland Society of Southern Africa</u>, VOL 7(3), p. 147-151. | [VELD]

Schulze, R.E., Scott-Shaw, C.R. and Nanni, U.W., | 1978. | Interception by <u>Pinus patula</u> in relation to rainfall parameters, <u>Journal of Hydrology</u>, VOL 36, p. 393-396. | [VELD]

Scotcher, J.S.B., | 1979. | A review of faecal analysis techniques for determining the diet of wild grazing herbivores, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 14, p. 131-136. | [VELD]

Scott, D.F., | 1991. | The influence of eucalypts on soil wettability, In: Schonau, A.P.G. (ed), Symposium on Intensive Forestry: the Role of Eucalypts, Proceedings of the International Union of Forest Research Organizations, 4-6 September 1991, Durban, p. 1044-1056. | [VELD]

Scott, J.D., | 1937. | The possibilities of reseeding damaged veld and old lands, <u>South African Journal of Science</u>, VOL 33, p. 617-624. | [VELD]

Scott, J.D., | 1947. | Veld management in South Africa, Bulletin No. 278, Agricultural Education and Research Series No. 46, Department of Agriculture, Pretoria, 40 p. | [VELD]

Scott, J.D., | 1948. | Veld and pasture management in the Natal high rainfall areas, <u>Farming in South Africa</u>, VOL 23(270), p. 607-614. | [VELD]

Scott, J.D., | 1951. | Conservation of vegetation in South Africa, In: Management and Conservation of Vegetation in Africa: a Symposium, Bulletin No. 41, Commonwealth Bureau of Pastures and Field Crops, Aberystwyth, Wales, p. 9-27. | [VELD]

Scott, J.D., | 1952. | The management of range pastures (veld) in Africa, In: Wagner, R.E. <u>et al.</u> (eds), Proceedings of the Sixth International Grassland Congress, VOL 1, Pennsylvania, USA, p. 477-483. [Available in the Department of Agriculture Library, Cedara]. | [VELD]

Scott, J.D., | 1955. | Principles of pasture management, In: Meredith, D. (ed), <u>The Grasses and Pastures of</u> <u>South Africa</u>, Central News Agency, [Johannesburg], p. 601-623. | [VELD]

Scott, J.D., | 1957. | Chapter 3. Vegetation, In: Burrows, H.R. (ed), <u>Natal Regional Survey, VOL 13:</u> <u>Agriculture in Natal: Recent Developments - a Symposium</u>, Oxford University Press, Cape Town, p. 25-42. | [VELD]

Scott, J.D., | 1967. | Advances in pasture work in South Africa, Part 1. Veld, <u>Herbage Abstracts</u>, VOL 37(1), p. 1-9. | [VELD]

Scott, J.D., | 1983. | <u>Dougie Horton: The Story of a Conservation Farmer</u>, Shuter and Shooter in association with McDonalds Seeds, Pietermaritzburg, 73 p. | [VELD]

Shackleton, C.M., | 1993. | Are the communal grazing lands in need of saving?, <u>Development Southern</u> <u>Africa</u>, VOL 10(1), p. 65-78. | [VELD]

Sim, T.R., | 1920. | Causes leading toward progressive evolution of the flora of South Africa, <u>South African</u> Journal of Science, VOL 17(1), p. 51-64. | [VELD]

Smith, A. and Jones, R.I., | 1977. | Proposed computerized cross-index system for storage and retrieval of literature references, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 12, p. 119-121. | [VELD]

Smith, A.B., | 1992. | <u>Pastoralism in Africa: Origins and Development Ecology</u>, Witwatersrand University Press, Johannesburg, 288 p. | [VELD]

Smith, I.B.J., | 1972. | Veld reclamation studies, 1954-1971, Final Report No. H-BI 26, Department of Agricultural Technical Services, Pretoria. | [VELD]

Smith, T.M. and Walker, B.H., | 1983. | The role of competition in the spacing of Savanna trees, <u>Proceedings</u> of the Grassland Society of Southern Africa, VOL 18, p. 159-164. | [VELD]

Snyman, D.D., Grossman, D. and Rethman, N.F.G., | 1990. | Tekortkominge van die naasteplantmetode en Dyksterhuis-verwante klassifikasiesisteme om veldtoestand in semi-ariede gebiede te bepaal, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(4), p. 273-276. | [VELD]

Snyman, H.A., | 1981. | Die hidrologiese siklus en waterverbruiksdoeltreffendheid van veld in verskillende suksessiestadia, in die sentrale Oranje-Vrystaat, M.Sc. (Agric) Thesis, Department of Pasture Science, University of the Orange Free State, Bloemfontein, 222 p. | [VELD]

Snyman, H.A., | 1985. | Vogbalansstudies op natuurlike veld van die sentrale Oranje-Vrystaat, Ph.D. Thesis, Department of Pasture Science, University of the Orange Free State, Bloemfontein, 315 p. + app. | [VELD]

Snyman, H.A., | 1988. | Bepaling van waterverbruiksdoeltreffendheid van veld in die sentrale Oranje-Vrystaat vanaf evapotranspirasiemetings, <u>Water SA</u>, VOL 14(3), p. 153-158. | [VELD]

Snyman, H.A., | 1989. | Evapotranspirasie en waterverbruiksdoeltreffendheid van verskillende grasspesies in die sentrale Oranje-Vrystaat, Journal of the Grassland Society of Southern Africa, VOL 6(3), p. 146-151. | [VELD]

Snyman, H.A., | 1991. | Evaluering van grasspesies vir die herwinning van kaal kolle in die semi-ariede grasveldgebiede, <u>Glen Agric</u>, VOL 20(1), p. 1-5. | [VELD]

Snyman, H.A., Opperman, D.P.J. and Van den Berg, J.A., | 1980. | Hidrologiese siklus en waterverbruiksdoeltreffendheid van veld in verskillende suksessiestadia, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 15, p. 69-72. | [VELD]

Snyman, H.A. and Fouche, H.J., | 1991. | Production and water-use efficiency of semi-arid grasslands of South Africa as affected by veld condition and rainfall, <u>Water SA</u>, VOL 17(4), p. 263-268. | [VELD]

Snyman, H.A. and Opperman, D.P.J., | 1983. | Die invloed van vog- en ontblaringsbehandelings in hidrologiese eenhede op natuurlike veld van die sentrale Oranje-Vrystaat, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 18, p. 124-130. | [VELD]

Snyman, H.A. and Van Rensburg, W.L.J., | 1986. | Hidrologiese siklus van natuurlike veld in die sentrale Oranje-Vrystaat, <u>Suid-Afrikaanse Tydskrif vir Natuurwetenskap en Tegnologie</u>, VOL 5(4), p. 181-185. | [VELD]

Sousa de Almeida, F., | 1974. | Bush control in grassland by aerial spraying, <u>Proceedings of the Grassland</u> <u>Society of Southern Africa</u>, VOL 9, p. 73-76. | [VELD]

Squires, V.R., Mann, T.L. and Andrew, M.H., | 1992. | Problems in implementing improved range management on common lands in Africa: an Australian perspective, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 9(1), p. 1-7. | [VELD]

Stuart-Hill, G., | 1982. | Veld: water requirements and utilization of <u>Acacia karroo</u> and key grass species during different times of the year in the central grassveld of the eastern Cape in relation to their production, Project Report No. D.5461/31/1/1, Department of Agriculture, Pretoria. | [VELD]

Stuart-Hill, G.C., | 1993. | Towards formalized adaptive management in Succulent Valley Bushveld, Ph.D. Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, various pages. [This thesis consists of several unpublished and published reports and papers relating to the eastern Cape]. | [VELD]

Stuart-Hill, G.C. and Hobson, F.O., | 1991. | An alternative approach to veld condition assessment in the non-grassveld regions of South Africa, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 8(4), p. 179-185. | [VELD]

Tainton, N. (ed), | 1991. | Hands-on grassland life, Share-Net, Wildlife Society of Southern Africa, Howick, 45 p. | [VELD]

Tainton, N.M., | 1972. | The relative contribution of overstocking and selective grazing to the degeneration of Tall Grassveld in Natal, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 7, p. 39-43. | [VELD]

Tainton, N.M., | 1981. | Growth and defoliation of veld and pasture plants and swards. Chapter 11. The effect of defoliation on plant communities - some general considerations, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 263-274. | [VELD]

Tainton, N.M., | 1981. | Natural grazing lands and their ecology. Chapter 1. Introduction to the concepts of development, production and stability of plant communities, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 1-24. | [VELD]

Tainton, N.M., | 1981. | Natural grazing lands and their ecology. Chapter 2. The ecology of the main grazing lands of South Africa, In: Tainton, N.M. (ed), <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, p. 25-56. | [VELD]

Tainton, N.M. (ed), | 1981. | <u>Veld and Pasture Management in South Africa</u>, Shuter and Shooter and the University of Natal Press, Pietermaritzburg, 481 p. | [VELD]

Tainton, N.M., | 1984. | A guide to the literature on research in the grassland biome of South Africa, South African National Scientific Programmes Report No. 96, Foundation for Research Development, CSIR, Pretoria, 77 p. [This publication contains a very useful bibliography]. | [VELD]

Tainton, N.M., | 1984. | The grasses and grasslands of Natal, <u>Neon</u>, No. 46, December 1984, p. 12-19. | [VELD]

Tainton, N.M., | 1987. | Ethics, legislation and profit as determinants of conservation farming, <u>Journal of the</u> <u>Grassland Society of Southern Africa</u>, VOL 4(1), p. 5-6. | [VELD]

Tainton, N.M., | 1988. | A consideration of veld condition assessment techniques for commercial livestock production in South Africa, Journal of the Grassland Society of Southern Africa, VOL 5(2), p. 76-79. | [VELD]

Tainton, N.M., | 1991. | Why do we insist on rotational grazing?, <u>Bulletin of the Grassland Society of</u> <u>Southern Africa Supplement 1</u>, July 1991, p. 2-6. | [VELD]

Tainton, N.M., Booysen, P. de V. and Nash, R.C., | 1977. | The grazing rotation: effects of different combinations of presence and absence, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 12, p. 103-104. | [VELD]

Tainton, N.M., Edwards, P.J. and Mentis, M.T., | 1980. | A revised method for assessing veld condition, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 37-42. | [VELD] Tainton, N.M., Foran, B.D. and Booysen, P. de V., | 1978. | The veld condition score: an evaluation in situations of known past management, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 13, p. 35-40. | [VELD]

Tainton, N.M., Zacharias, P.J.K. and Hardy, M.B., | 1989. | Chapter 6. The contribution of veld diversity to the agricultural economy, In: Huntley, B.J. (ed), <u>Biotic Diversity in Southern Africa: Concepts and Conservation</u>, Oxford University Press, Cape Town, p. 107-120. | [VELD]

Tanner, P.D., Roper, C.B. and De Villiers, J.M., | 1986. | Effects of soil compaction on pasture growth during rehabilitation of strip-mined land, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 3(4), p. 141-147. | [VELD]

Taylor, A.J., | 1922. | The composition of some indigenous grasses, <u>South African Journal of Science</u>, VOL 19, p. 218-232. | [VELD]

Teague, W.R., Trollope, W.S.W. and Aucamp, A.J., | 1981. | Veld management in the semi-arid bush-grass communities of the eastern Cape, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 16, p. 23-28. | [VELD]

Teague, W.R. and Danckwerts, J.E., | 1984. | Determination of carrying capacity, <u>Dohne Agric</u>, VOL 6(2), p. 8-12. | [VELD]

Theron, E.P. and Ludorf, R., | 1972. | Notes on the value of <u>Paspalum vaginatum</u> Sw. as a pasture grass for saline and structureless soils, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 7, p. 126-129. [This paper refers to irrigation with factory effluent]. | [VELD]

Theron, G.C., | 1937. | Veld management investigations at the School of Agriculture, Potchefstroom: preliminary report, Bulletin No. 166, Extension Series No. 7, Department of Agriculture, Pretoria, 23 p. | [VELD]

Theron, G.C., | 1946. | Research in connection with veld control at the Potchefstroom College of Agriculture, Science Bulletin No. 266, Division of Agricultural Education and Research Scientific Series No. 4, Department of Agriculture, Pretoria, 14 p. | [VELD]

Thrash, I., Nel, P.J., Theron, G.K. and Bothma, J. du P., | 1991. | The impact of the provision of water for game on the basal cover of the herbaceous vegetation around a dam in the Kruger National Park, <u>Koedoe</u>, VOL 34(2), p. 121-130. | [VELD]

Thrash, I., Nel, P.J., Theron, G.K. and Bothma, J. du P., | 1991. | The impact of the provision of water for game on the woody vegetation around a dam in the Kruger National Park, <u>Koedoe</u>, VOL 34(2), p. 131-148. | [VELD]

Thwaites, R.N. and Cowling, R.M., | 1988. | Soil-vegetation relationships on the Agulhas Plain, South Africa, <u>Catena</u>, VOL 15(3/4), p. 333-345. | [VELD]

Tidmarsh, C.E.M., | 1957. | Veld management, pastures and feeds. Veld management in the Karoo and adjacent Sweet Grassveld region, In: <u>Handbook for Farmers in South Africa, VOL 3: Stock Farming and Pastures</u>, Department of Agriculture, Pretoria, p. 624-635. | [VELD]

Tidmarsh, C.E.M. and Havenga, C.M., | 1955. | The wheel-point method of survey and measurement of semi-open grasslands and Karoo vegetation in South Africa, Memoir No. 29, Botanical Survey of South Africa, Division of Botany, Department of Agriculture, Pretoria, 49 p. + app. | [VELD]

Trollope, W.S.W. and Booysen, P.de V., | 1971. | The eradication of macchia (fynbos) vegetation on the Amatole mountains of the eastern Cape, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 6, p. 28-38. | [VELD]

Trollope, W.S.W., | 1974. | Pasture management in the Ciskei, Fort Hare Papers, VOL 6(1), p. 49-54. | [VELD]

Trollope, W.S.W., | 1976. | Veld rehabilitation in the Ciskei, Fort Hare Papers, VOL 6(3), p. 209-218. | [VELD]

Trollope, W.S.W., | 1990. | Development of a technique for assessing veld condition in the Kruger National Park using key grass species, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(1), p. 46-51. | [VELD]

Trollope, W.S.W., | 1992. | Chapter 3. Veld management in grassland and Savanna areas, In: Van Oudtshoorn, F.P., <u>Guide to Grasses of South Africa</u>, Briza Publikasies, Pretoria, p. 45-56. | [VELD]

Trollope, W.S.W., Trollope, L.A. and Bosch, O.J.H., | 1990. | Veld and pasture management terminology in southern Africa, Journal of the Grassland Society of Southern Africa, VOL 7(1), p. 52-61. [Afrikaans version: p. 67-75]. | [VELD]

Turner, J.R., | 1988. | Towards the development of a grazing capacity model for the drier grazing areas of Natal, M.Sc. (Agric) Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 240 p. | [VELD]

Turner, J.R., | 1990. | The development of stocking rate models for three veld types in Natal, Ph.D. Thesis, Department of Grassland Science, University of Natal, Pietermaritzburg, 300 p. | [VELD]

Turner, J.R. and Tainton, N.M., | 1990. | A comparison of four different standards of reference for the animal unit for determining stocking rate, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(3), p. 204-207. | [VELD]

Turner, J.R. and Tainton, N.M., | 1990. | A conceptual stocking rate model for the moderately dry mixed and sourveld grazing regions of Natal, <u>Journal of the Grassland Society of Southern Africa</u>, VOL 7(3), p. 201-203. | [VELD]

Van Biljon, P.L. and Hewitt, P.H., | 1990. | Utilization of dry redgrass <u>Themeda triandra</u> (Forsk.) by the harvester termite <u>Hodotermes mossambicus</u> (Hagen), <u>South African Journal of Science</u>, VOL 86(1), p. 37-39. | [VELD]

Van de Venter, H.A. and Mason, M. (eds), | 1982. | <u>Proceedings of the Fourth National Weeds Conference of South Africa</u>, A.A. Balkema, Cape Town, 180 p. [This publication discusses a number of issues, including plant invaders, weeds and the use of herbicides/pesticides, for example atrazine]. | [VELD]

Van den Berg, J.A., | 1983. | Die verwantskap tussen die langtermyn gemiddelde reënval en die weidingskapasiteit van natuurlike veld in droë dele van Suid-Afrika, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 18, p. 165-167. | [VELD]

Van den Berg, J.A., Roberts, B.R. and Vorster, L.F., | 1976. | Die uitwerking van seisoenbeweiding op die infiltrasievermoë van gronde in 'n <u>Cymbopogon-Themeda</u>, veld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 11, p. 91-95. | [VELD]

Van der Schijff, H.P., | 1964. | 'n Hervaluasie van die probleem van bosindringing in Suid-Afrika, <u>Tydskrif</u> <u>vir Natuurwetenskappe</u>, VOL 4(2), p. 67-80. | [VELD]

Van der Schijff, H.P., | 1965. | Die invloed van termitaria op die plantegroei van die Nasionale Krugerwildtuin, <u>Tydskrif vir Natuurwetenskappe</u>, VOL 5(1), p. 48-54. | [VELD]

Van der Schijff, H.P., | 1971. | Die plantegroei van die drie distrikte Potgietersrus, Pietersburg en Soutpansberg in die noordelike Transvaal, <u>Tydskrif vir Natuurwetenskappe</u>, VOL 11(2), p. 108-144. | [VELD]

Van der Schyff, H.P., | 1957. | Veld management, pastures and feeds. Bush encroachment in South Africa, In: <u>Handbook for Farmers in South Africa, VOL 3: Stock Farming and Pastures</u>, Department of Agriculture, Pretoria, p. 732-741. | [VELD]

Van Lill, W.S., Kruger, F.J. and Van Wyk, D.B., | 1980. | The effect of afforestation with <u>Eucalyptus grandis</u> Hill ex Maiden and <u>Pinus patula</u> Schlecht. et Cham. on streamflow from experimental catchments at Mokobulaan, Transvaal, <u>Journal of Hydrology</u>, VOL 48, p. 107-118. | [VELD]

Van Oudtshoorn, F.P., | 1991. | <u>Gids Tot die Grassoorte van Suid-Afrika</u>, Briza Publikasies, Pretoria, 301 p. [Also available in an English edition published in 1992]. | [VELD]

Van Oudtshoorn, F.P., | 1992. | <u>Guide to Grasses of South Africa</u>, Briza Publikasies, Pretoria, 301 p. [Also available in an Afrikaans edition published in 1991]. | [VELD]

Van Oudtshoorn, F.P., | 1992. | Chapter 2. Ecological and pasture concepts, In: Van Oudtshoorn, F.P., <u>Guide</u> to Grasses of South Africa, Briza Publikasies, Pretoria, p. 35-44. | [VELD]

Van Oudtshoorn, F.P., | 1992. | Chapter 4. Grazing value and ecological status of grasses, In: Van Oudtshoorn, F.P., <u>Guide to Grasses of South Africa</u>, Briza Publikasies, Pretoria, p. 57-61. | [VELD]

Van Rooyen, C.J., | 1986. | Guidelines for the economic analysis of agricultural development projects, <u>Development Southern Africa</u>, VOL 3(4), p. 650-666. | [VELD]

Van Rooyen, N., Bezuidenhout, D., Theron, G.K. and Bothma, J. du P., | 1990. | Monitoring of the vegetation around artificial watering points (windmills) in the Kalahari Gemsbok National Park, <u>Koedoe</u>, VOL 33(1), p. 63-88. | [VELD]

Venter, A.D. and Drewes, R.H., | 1969. | A flexible system of management for Sourveld in Natal, Proceedings of the Grassland Society of Southern Africa, VOL 4, p. 104-107. | [VELD]

Viljoen, L., | 1971. | Mechanical cultivation of denuded areas to encourage biological reclamation, Leaflet No. 66, Engineering Series No. 5, Soil Conservation Series No. 1-1971, Division of Agricultural Engineering, Department of Agricultural Technical Services, Pretoria, 6 p. | [VELD]

Vink, N., | 1987. | An institutional approach to livestock development in southern Africa, <u>Development</u> <u>Southern Africa</u>, VOL 4(1), p. 171-174. | [VELD]

Vink, N. and Kassier, W.E., | 1987. | The 'tragedy of the commons' and livestock farming in southern Africa, <u>South African Journal of Economics</u>, VOL 55(2), p. 165-182. | [VELD]

Vink, N. and Kassier, W.E., | 1988. | The 'tragedy of the commons' and livestock farming in southern Africa: reply, <u>South African Journal of Economics</u>, VOL 56(2/3), p. 218-224. | [VELD]

Vogel, J.C., Fuls, A. and Ellis, R.P., | 1978. | The geographical distribution of Kranz grasses in South Africa, <u>South African Journal of Science</u>, VOL 74(6), p. 209-215. | [VELD]

Voorendyk, J.J., | 1935. | Planting trees for special purposes, 1. For veld conservation, <u>Farming in South</u> <u>Africa</u>, VOL 10(108), p. 108-109, 118. | [VELD]

Vorster, L.F., | 1975. | The influence of prolonged seasonal defoliation on veld yields, <u>Proceedings of the</u> <u>Grassland Society of Southern Africa</u>, VOL 10, p. 119-122. | [VELD]

Vorster, L.F. and Visagie, A.F.J., | 1980. | Die invloed van aantal kampe en veegetalle op diereproduksie en veld toestand, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 15, p. 131-135. | [VELD]

Vorster, M., | 1982. | The development of the ecological index method for assessing veld condition in the Karoo, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 17, p. 84-89. | [VELD]

Vorster, M. and Roux, P.W., | 1983. | Veld of the Karoo areas, <u>Proceedings of the Grassland Society of</u> <u>Southern Africa</u>, VOL 18, p. 18-24. | [VELD]

Walker, B.H., | 1976. | An approach to the monitoring of changes in the composition and utilization of woodland and Savanna vegetation, <u>South African Journal of Wildlife Research</u>, VOL 6(1), p. 1-32. | [VELD]

Walker, B.H., Matthews, D.A. and Dye, P.J., | 1986. | Management of grazing systems - existing versus an event-orientated approach, <u>South African Journal of Science</u>, VOL 82(4), p. 172. | [VELD]

Walker, R.S., | 1988. | Chapter 8. Long-term data series from South African grasslands, In: Macdonald, I.A.W. and Crawford, R.J.M. (eds), Long-term Data Series Relating to Southern Africa's Renewable Natural Resources, South African National Scientific Programmes Report No. 157, Foundation for Research Development, CSIR, Pretoria, p. 253-267. | [VELD]

Walters, M.M., | 1951. | Bare patches in the eastern Mixed Karoo, <u>Farming in South Africa</u>, VOL 26(301), p. 125-130, 132. | [VELD]

Watson, H.K. and Macdonald, I.A.W., | 1983. | Vegetation changes in the Hluhluwe-Umfolozi Game Reserve complex from 1937 to 1975, <u>Bothalia</u>, VOL 14(2), p. 265-269. | [VELD]

Wentzel, J.J., Bothma, J. du P. and Van Rooyen, N., | 1991. | Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the south-eastern Kruger National Park, <u>Koedoe</u>, VOL 34(1), p. 51-59. | [VELD]

West, O., | 1968. | The possibility of using irrigated pastures for the rehabilitation of denuded grazing areas in the Rhodesian Lowveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 3, p. 95-99. | [VELD]

Westfall, R.H., Van Rooyen, N. and Theron, G.K., | 1983. | Veld condition assessments in Sour Bushveld, <u>Proceedings of the Grassland Society of Southern Africa</u>, VOL 18, p. 73-76. | [VELD]

Zacharias, P.J.K. (compiler), | 1990. | <u>Acocks' Notes: Key Grasses of South Africa - (Being the Facsimile of Original Work by John Phillip Harison Acocks Held in the Acocksiana Collection of the Botanical Research Institute, Pretoria)</u>, Special Publication 1990, Grassland Society of Southern Africa, Howick, 77 p. + app. | [VELD]